

HEALTH MANAGEMENT FACT SHEET

Bipolar disorder

Bipolar disorder, which used to be known as manic depression, is a long-term mental health condition which affects people's moods, causing extreme mood swings.

People with bipolar often have episodes of depression. They can feel low or hopeless and lack energy, losing interest or pleasure in many activities.

They also typically experience episodes of mania or hypomania — which means feeling high, highly energetic or unusually irritable. Hypomania can noticeably change mood or behaviour, but is less severe than mania


One in every 100 people will be diagnosed with bipolar at some point in their life. It can occur at any age, although it often develops between the ages of 15 and 19 — and rarely develops after 40. Men and women from all backgrounds are equally likely to develop bipolar disorder.

Key takeaways

- > People with bipolar experience severe mood swings of depression and mania
- > Depressive episodes usually involve low mood and energy, with loss of self-confidence
- > Manic episodes can involve euphoria, chattiness, grandiose plans and impulsive spending
- > The high and low phases of bipolar disorder are often so extreme that they interfere with everyday life
- > Treatments aim to prevent or control the effects of episodes, helping people live life as normally as possible
- > Mood-stabilising drugs are usually prescribed to prevent episodes from occurring, but other treatments, including psychological talking therapy, can also be helpful
- > Lifestyle measures, such as healthy eating and exercise, can also be helpful with respect to controlling the condition
- > Those diagnosed with bipolar must inform the DVLA of their diagnosis and should not drive during an acute episode of mania or very severe depression, following medical advice at all times

Symptoms

Bipolar is chiefly characterised by episodes of depression and mania/hypomania. These episodes can last for several weeks or months, and symptoms depend on which episode is being experienced.



Depression:

- > Feeling sad, hopeless or irritable
- > Lethargy
- > Lack of focus and memory issues
- > Loss of interest in everyday activities
- > Feeling empty, worthless or guilty
- > Pessimism, despair and self-doubt
- > Delusions, hallucinations or disordered thinking
- > Lack of appetite
- > Sleep issues
- > Suicidal thoughts

Mania:

- > Feeling euphoric and energetic
- > Talking very quickly
- > Having important plans and big ideas
- > Getting easily distracted, agitated or irritated
- > Not eating and not feeling like sleeping
- > Delusions, hallucinations or disordered thinking
- > Doing things with disastrous consequences, such as spending large amounts of money
- > Making decisions or saying things which others feel are out of character

Some people with bipolar disorder have more manic episodes, while others have more depressive episodes.

Patterns vary and some people cycle quickly between the two states with no "normal" period in between.

Some people also experience a "mixed state" where the symptoms of depression and mania are combined. For example, being overactive while feeling low.

Treatment and recovery

With effective treatment, episodes of depression or mania tend to improve within around three months.

It's usual for people with bipolar to receive a combination of treatments, which might include:

- Medicines known as "mood stabilisers" which are taken on a daily basis, and which prevent manic or depressive episodes
- Medicines to treat the symptoms of depression or mania when they occur
- Help to recognise the triggers or signs of an episode
- Psychological therapies, such as cognitive behaviour therapy or family therapy, to help individuals cope with depression and improve relationships
- Lifestyle advice on matters such as exercise, hobbies, healthy eating and sleep hygiene

Most people with bipolar disorder are treated on an outpatient basis, but some may be admitted to hospital if symptoms are severe.

Self-help techniques can also be useful for people living with bipolar; eating well, staying active, maintaining social networks and finding interests to focus on.



Contact us to find out more

 info@healthmanltd.com

 healthmanagement.co.uk



Useful resources

[NHS – Bipolar disorder](#)

[Bipolar UK](#)

[Mind – What is bipolar disorder](#)